

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	41	((("4527204") or ("5113438") or ("5351969") or ("5378880") or ("5457448") or ("5521369") or ("5621199") or ("5703347") or ("5774172") or ("5902991") or ("5926168") or ("5963132") or ("5986562") or ("6094239") or ("6097301") or ("6232870") or ("6264106") or ("6293467") or ("6307517") or ("6318636") or ("6329920"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 12:07
L2	7	"20010008390" "20010042786" "20010045460"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:08
L3	129	380/259.ccls. and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 10:24
L4	165	380/283.ccls. and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 10:24
L5	202	380/278.ccls. and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:10
L6	489	(L1 or L2 or L3 or L4 or L5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 10:26
L7	483	L6 and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 10:26

EAST Search History

L8	39	L7 and ((portable or mobile) with key\$3 with (device or unit or module or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:51
L9	4	((("6748082") or ("4638120"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 12:09
L10	39	"6748082" "4638120"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:09
L11	35	L10 and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:53
L12	3	L11 and ((portable or mobile) with key\$3 with (device or unit or module or object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:10
L13	4563	((portable or mobile) with key\$3 with (device or unit or module or object)) and (radio or RF or RFID) and (direction or bear\$3 or angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:52
L14	877	L13 and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:53
L15	111	L14 and (encrypt\$3 near4 key\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 13:12

EAST Search History

L16	76	L15 and (power or Watt or mW)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 13:12
L17	76	L15 and (power or Watt or " mW ")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 13:13

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	445	((portable or mobile) with key\$3 with (device or unit or module or object)) and handshak\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 18:45
L2	125	L1 and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 18:46
L3	41	L2 and (key\$3 near4 encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 18:46
L4	3066	((portable or mobile) with key\$3 with (device or unit or module or object)) and ((messag\$3 or signal\$3) with (agreement or authoriz\$3 or author\$3 or certificat\$3 or exchang\$3 or validat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 18:36
L5	666	L4 and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 17:40
L6	212	L5 and (key\$3 near4 encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 17:40
L7	45	((portable or mobile) with key\$3 with (device or unit or module or object) with (renew or install\$3 or instal\$3 or configur\$3 or deliver\$3 or distribut\$3 or send\$3)) and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 17:42
L8	9	"5887063" and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 18:36

EAST Search History

L9	4	((portable or mobile) with key\$3 with (device or unit or module or object)) and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 18:50
L10	500	((portable or mobile) with key\$3 with (device or unit or module or object)) and (handshak\$3 or (hand with shak\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 18:45
L11	135	L10 and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 18:50
L12	44	L11 and (key\$3 near4 encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 18:46
L13	3	L12 not L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 18:46
L14	76	("4926325").URPN.	USPAT	OR	ON	2007/04/25 18:49
L15	59	L14 and @ad<"20000514"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 18:50
L16	7	((portable or mobile) with key\$3 with (device or unit or module or object)) and L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 18:50



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((portable and keying and radio and direction)<in>metadata)"

Your search matched 4 of 1551427 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.
☐ e-mail printer friendly

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

 [Select All](#) [Deselect All](#)

- ☐ 1. **BER performance of a uniform circular array versus a uniform linear array in a mobile radio environment**
 Jiann-An Tsai; Buehrer, R.M.; Woerner, B.D.;
[Wireless Communications, IEEE Transactions on](#)
 Volume 3; Issue 3, May 2004 Page(s):695 - 700
 Digital Object Identifier 10.1109/TWC.2004.826332
[AbstractPlus](#) | Full Text: [PDF\(296 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **Geometrically based statistical channel model for macrocellular mobile environments**
 Petrus, P.; Reed, J.H.; Rappaport, T.S.;
[Global Telecommunications Conference, 1996. GLOBECOM '96. 'Communications: The Key to Global Prosperity](#)
 Volume 2, 18-22 Nov. 1996 Page(s):1197 - 1201 vol.2
 Digital Object Identifier 10.1109/GLOCOM.1996.587631
[AbstractPlus](#) | Full Text: [PDF\(448 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Delayed diversity transmission for indoor wireless applications**
 Bontu, C.S.; Falconer, D.D.; Strawczynski, L.;
[Personal, Indoor and Mobile Radio Communications, 1994. Wireless Networks - Catching the Mobile Future. 5th IEEE International Symposium on](#)
 Volume 1, 18-23 Sept. 1994 Page(s):75 - 79 vol.1
 Digital Object Identifier 10.1109/WNCMF.1994.530769
[AbstractPlus](#) | Full Text: [PDF\(368 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Micromechanical circuits for communication transceivers**
 Nguyen, C.T.-C.;
[Bipolar/BiCMOS Circuits and Technology Meeting, 2000. Proceedings of the 2000](#)
 24-26 Sept. 2000 Page(s):142 - 149
 Digital Object Identifier 10.1109/BIPOL.2000.886191
[AbstractPlus](#) | Full Text: [PDF\(1012 KB\)](#) IEEE CNF
[Rights and Permissions](#)



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(((portable and keying and radio and angle)<in>metadata)) <and> (pyr >= 1950 <and&..."

Your search matched 2 of 1551427 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

e-mail
 printer friendly

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **Geometrically based statistical channel model for macrocellular mobile environments**
 Petrus, P.; Reed, J.H.; Rappaport, T.S.;
[Global Telecommunications Conference, 1996. GLOBECOM '96. 'Communications: The Key to Global Prosperity](#)
 Volume 2, 18-22 Nov. 1996 Page(s):1197 - 1201 vol.2
 Digital Object Identifier 10.1109/GLOCOM.1996.587631
[AbstractPlus](#) | Full Text: [PDF\(448 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Hardware performance and experimental results of portable digital SNG equipment using a flat antenna**
 Tanaka, S.; Fujita, M.; Mitsumoto, H.; Murata, T.; Takano, K.; Imai, K.; Shogen, K.; Toyama, N.;
[Global Telecommunications Conference, 1996. GLOBECOM '96. 'Communications: The Key to Global Prosperity](#)
 Volume 2, 18-22 Nov. 1996 Page(s):813 - 818 vol.2
 Digital Object Identifier 10.1109/GLOCOM.1996.585980
[AbstractPlus](#) | Full Text: [PDF\(556 KB\)](#) IEEE CNF
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

 Indexed by
 Inspec®



Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(((portable and key and installation)<in>metadata)) <and> (pyr >= 1950 <and> py..."

Your search matched 3 of 1551427 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.[e-mail](#) [printer friendly](#)» **Search Options**[View Session History](#)[New Search](#)**Modify Search** ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract» **Key**

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

 [Select All](#) [Deselect All](#)

- ☐ **1. Smart antennas-the practical realities**
Bachman, H.L.;
[Aerospace Conference, 1997. Proceedings., IEEE](#)
Volume 1, 1-8 Feb. 1997 Page(s):63 - 70 vol.1
Digital Object Identifier 10.1109/AERO.1997.574285
[AbstractPlus](#) | Full Text: [PDF\(556 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **2. The relationship of commercial aircraft fuselage size on rf coupling/path loss from rf sources to receiver based navigation and communication avionics systems**
Fuller, G.; Horton, K.;
[Digital Avionics Systems Conference, 1999. Proceedings. 18th](#)
Volume 2, 24-29 Oct. 1999 Page(s):10.B.4-1 - 10.B.4-4 vol.2
Digital Object Identifier 10.1109/DASC.1999.822097
[AbstractPlus](#) | Full Text: [PDF\(248 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **3. Neural networks for boiler emission prediction**
Baines, G.;
[Instrumentation and Measurement Technology Conference, 1999. IMTC/99. Proceedings of the 16th IEEE](#)
Volume 1, 24-26 May 1999 Page(s):435 - 439 vol.1
Digital Object Identifier 10.1109/IMTC.1999.776790
[AbstractPlus](#) | Full Text: [PDF\(508 KB\)](#) IEEE CNF
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

